

Communication Strategies for Mechanically Ventilated Patients in the Emergency Department: A Letter to the Editor

✉ Merve Ekşioğlu

Clinic of Emergency Medicine, University of Health Sciences Türkiye, Fatih Sultan Mehmet Training and Research Hospital, İstanbul, Türkiye

Dear Editor,

I read with interest the article published in the Cyprus Journal of Medical Sciences on communication with patients receiving mechanical ventilation in intensive care units.¹ The review clearly describes the challenges of communication and emphasizes the contribution of both low- and high-technology tools in supporting patient-healthcare worker interaction.

From an emergency medicine perspective, these issues are equally relevant. Both non-invasive mechanical ventilation (NIMV) and invasive mechanical ventilation are widely used in the emergency department.² Due to limited intensive care capacity, many patients remain in the emergency department for prolonged periods under the supervision of emergency physicians. However, communication is complicated by high patient flow, time pressure, limited staffing, and less controlled conditions compared with intensive care.

Agitation is common in patients receiving NIMV and may compromise treatment. Structured tools such as visual communication boards or tablet-based interfaces may reduce anxiety and agitation. This can improve compliance with NIMV. This could lower sedative requirements and decrease the transition rate to invasive ventilation. In intubated patients, effective communication may support lighter sedation, improve comfort, and contribute to better outcomes. A recent study showed that patients intubated in the emergency department face a higher risk of deep sedation and take longer to achieve lighter sedation than those intubated in intensive care.³ Effective communication strategies may contribute to achieving lighter sedation in this context, and further research exploring this relationship would be valuable.

The literature describes various methods to facilitate communication, including illustrated materials, communication cards, visual guides, computer-based tools, and eye-tracking technologies.⁴ For example, eye-tracking systems have been shown to enable intubated or tracheostomized patients to express basic needs, monitor complications, and respond to quality-of-life measures.⁵ Such findings suggest that advanced technologies may play an important role in emergency care as well.

In this context, adapting structured communication interventions to the specific dynamics of emergency departments could address a notable gap in the literature. Pilot studies testing the feasibility of these strategies under conditions of high patient load and limited resources may help align emergency and intensive care practices and improve patient-centered outcomes.

Footnotes

Financial Disclosure: The author declared that this study had received no financial support.

REFERENCES

1. Çelebi C, Yeşilyurt KÖ. Ensuring effective communication with patients receiving mechanical ventilation support in intensive care units: current communication materials. *Cyprus J Med Sci*. 2025; 10(4): 228-35.
2. Göksu E, Kılıç D, İbze S. Non-invasive ventilation in the ED: whom, when, how? *Turk J Emerg Med*. 2018; 18(2): 52-6.
3. Sereyotin J, Yarnell C, Mehta S. Sedation practices in patients intubated in the emergency department compared with those in patients in the intensive care unit. *Crit Care Sci*. 2025; 37: e20250247.

To cite this article: Ekşioğlu M. Communication strategies for mechanically ventilated patients in the emergency department: a letter to the editor. *Cyprus J Med Sci*. [Epub Ahead of Print]

ORCID IDs of the author: M.E. 0000-0003-0108-9855.



Corresponding author: Merve Ekşioğlu
E-mail: mervekoyunoglu@gmail.com
ORCID ID: orcid.org/0000-0003-0108-9855

Received: 10.09.2025

Accepted: 11.09.2025

Epub: xxxxxx



Copyright© 2025 The Author. Published by Galenos Publishing House on behalf of Cyprus Turkish Medical Association.

This is an open access article under the Creative Commons AttributionNonCommercial 4.0 International (CC BY-NC 4.0) License.

4. Karlsen MW, Holm A, Kvande ME, Dreyer P, Tate JA, Heyn LG, et al. Communication with mechanically ventilated patients in intensive care units: a concept analysis. *J Adv Nurs*. 2023; 79(2): 563-80.
5. Ull C, Weckwerth C, Schildhauer TA, Hamsen U, Gaschler R, Waydhas C, et al. First experiences of communication with mechanically ventilated patients in the intensive care unit using eye-tracking technology. *Disabil Rehabil Assist Technol*. 2023; 18(1): 44-9.